
Physics : Section-A (Q. No. 1 to 35)

A wheel of a bullock cart is rolling on a level road as shown in the figure below. If its linear speed is v in the direction shown, which one of the following options is correct (P and Q are any highest and lowest points on the wheel, respectively)?



1

2

- Point P moves faster than point Q. (1)Both the points P and Q move with equal (2)
 - speed.
- (3) Point P has zero speed.
- (4) Point P moves slower than point Q.
- Match List I with List II. List II List I (Wavelengths (nm)) (Spectral Lines of Hydrogen for transitions from) A. $n_2 = 3$ to $n_1 = 2$ 410.2 I. B. $n_2 = 4$ to $n_1 = 2$ 434.1 II. 656.3


C. $n_2 = 5$ to $n_1 = 2$ III. IV. 486.1

- D. $n_2 = 6$ to $n_1 = 2$ Choose the correct answer from the options given below :
 - (1) A-III, B-IV, C-II, D-I (2) A-IV, B-III, C-I, D-II (3) A-I, B-II, C-III, D-IV
 - (4) A-II, B-I, C-IV, D-III


A thermodynamic system is taken through the cycle abcda. The work done by the gas along the path bc is :

1: : -

3



The terminal voltage of the battery, whose emf is 10V and internal resistance 1 Ω , when connected through an external resistance of 4Ω as shown in the figure is :




4

5

- In an ideal transformer, the turns ratio is $\frac{N_p}{N_s} = \frac{1}{2}$.
 - The ratio $V_s: V_p$ is equal to (the symbols carry their usual meaning) : (2) 1:1. (1) 2:1 (4) 1:2

(3) 1:4

A light ray enters through a right angled prism at point P with the angle of incidence 30° as shown 6 in figure. It travels through the prism parallel to its base BC and emerges along the face AC. The refractive index of the prism is:



The quantities which have the same dimensions as those of solid angle are :

- (1) stress and angle
- strain and arc (2)
- angular speed and stress (3)
 - strain and angle

SINCE



A thin flat circular disc of radius 4.5 cm is placed If the monochromatic source in Young's double 11 gently over the surface of water. If surface tension slit experiment is replaced by white light, then of water is 0.07 Nm⁻¹, then the excess force (1) there will be a central dark fringe surrounded required to take it away from the surface is : by a few coloured fringes. (1) 198 N there will be a central bright white fringe (2)(2) (1.98 mN surrounded by a few coloured fringes. (3) 99 N (4) 019.8 mN all bright fringes will be of equal width. (3) (4) interference pattern will disappear. Given below are two statements: one is labelled as Assertion A and the other is labelled as 12 Given below are two statements : Reason R. Statement I: Atoms are electrically neutral as Assertion A: The potential (V) at any axial point, they contain equal number of positive and negative charges. at 2 m distance(r) from the centre of the dipole Statement II : Atoms of each element are stable and emit their characteristic spectrum. of dipole moment vector \vec{P} of magnitude, In the light of the above statements, choose the 4×10^{-6} C m, is $\pm 9 \times 10^{3}$ [2] most appropriate answer from the options given below : (Take $\frac{1}{4\pi \epsilon_0} = 9 \times 10^9$ SI units) (1) Both Statement I and Statement II are incorrect. (2) Statement I is correct but Statement II is **Reason R** : $V = \pm \frac{2P}{4\pi \epsilon_0 r^2}$, where r is the distance of any axial point situated at 2 m from incorrect. (3) Statement I is incorrect but Statement II is (Ω) correct. Both Statement I and Statement II are (4) the centre of the dipole. correct. \mathbf{c} 283 In the light of the above statements, choose the The maximum elongation of a steel wire of 1 m 13 correct answer from the options given below: length if the elastic limit of steel and its Young's Both A and R are true and R is NOT the (1)modulus, respectively, are 8×10^8 N m⁻² and correct explanation of A. 2×10^{11} N m⁻², is : (2) A is true but R is false. (1) 0.4 mm 40 mm 4 mm (3) A is false but R is true? (3) 8 mm (4) Both A and R are true and R is the correct Consider the following statements A and B and 14. CO explanation of A. identify the correct answer : CT . In a uniform magnetic field of 0.049 T, a magnetic needle performs 20 complete oscillations in (II) 5 seconds as shown. The moment of inertia of the (III) needle is 9.8×10^{-6} kg m². If the magnitude of magnetic moment of the needle is $x \times 10^{-5}$ Am²; For a solar-cell, the I-V characteristics lies A. then the value of 'x' is : in the IV quadrant of the given graph. an) In a reverse biased pn junction diode, the Β. current measured in (μA) , is due to majority charge carriers A is incorrect but B is correct. (1)Both A and B are correct. $(2)_{(1)}^{O}50 \pi^2$ $128 \pi^2$ (2)Both A and B are incorrect. (1)(3)A is correct but B is incorrect. (4)

R1 English |

(3)

 $1280 \pi^2$

8

.1

10

[Contd....

STUDY CENTRE, PALA An unpolarised light beam strikes a glass surface (1) the refracted light will be completely at Brewster's angle. Then A particle moving with uniform speed in a circular 19 path maintains : (2) both the reflected and refracted light will be (1) constant acceleration. constant velocity but varying acceleration. (2)varying velocity and varying acceleration. the reflected light will be completely (3)constant velocity. polarised but the refracted light will be If c is the velocity of light in free space, the correct (3) the reflected light will be partially polarised. statements about photon among the following are : The energy of a photon is E = hv. A. (4)At any instant of time t, the displacement of any The velocity of a photon is c. Β. particle is given by 2t - 1 (SI unit) under the The momentum of a photon, $p = \frac{hv}{c}$. influence of force of 5N. The value of 20 C. D. In a photon-electron collision, both total instantaneous power is (in SI unit): energy and total momentum are conserved. Photon possesses positive charge. E. (1) 5 10 Choose the correct answer from the options given (3) 6 below: A tightly wound 100 turns coil of radius (1) A, B, C and D only 10 cm carries a current of 7 A. The magnitude of A, C and D only 21 (2)the magnetic field at the centre of the coil is (Take (3) A, B, D and E only permeability of free space as $4\pi \times 10^{-7}$ SI units): (4) A and B only (2) 4.4 mT Two bodies A and B of same mass undergo (1) .4.4 T completely inelastic one dimensional collision. 44 mT The body A moves with velocity v_1 while body B (3) 44 T is at rest before collision. The velocity of the The moment of inertia of a thin rod about an axis system after collision is v_2 . The ratio $v_1 : v_2$ is : 22 passing through its mid point and perpendicular (2) 4:1 2:1 (1)to the rod is 2400 g cm². The length of the 400 g 1:2 (4) (3) 1:4 rod is nearly : 20.7 cm (1) 17.5 cm The graph which shows the variation of 8.5 cm (3) 72.0 cm and its kinetic energy, E is (where λ is de Broglie wavelength of a free particle) : A bob is whirled in a horizontal plane by means 23 of a string with an initial speed of ω rpm. The tension in the string is T. If speed becomes 2ω while keeping the same radius, the tension in the string becomes : E [Contd...

R1 English]

15


16

17

24 · Match List-I with List-II.

List-I (Material)		List-II Susceptibility (χ))
A. Diamagnetic		c = 0
B. Ferromagnetic.	II. C	$0 \ge \chi \ge -1$
C. Paramagnetic	III. ,)	
D. Non-magnetic	IV. C	$<\chi < \varepsilon$ (a small ositive number)
Choose the correct ar below:	swer fro	m the options given
(1) A-II, B-I, C-III,	D-IV	14
(2) A-III, B-II, C-I,	D-IV	
(3) A-IV, B-III, C-I	l, D-I	
(4) A-II, B-III, C-IV	, D-I	

25 In the following circuit, the equivalent capacitance between terminal A and terminal B is :



26 A horizontal force 10 N is applied to a block A as shown in figure. The mass of blocks A and B are 2 kg and 3 kg, respectively. The blocks slide over a frictionless surface. The force exerted by block A on block B is :

20.00			-	
F	= 10 N	A 2 kg	B 3 kg	
m	min	2 kg	min	6 N
(1)	4 N	5	(2) zero
(3)	10 N		(4) Long

27

⁸² A mass in the nuclear emission stated above, the mass number and atomic number of the product Q

 $\xrightarrow{e^+} Z \xrightarrow{\beta^-} P \xrightarrow{e^-} Q$

resp	ectively, are.	1.2.5	000 87
(1)	286, 80	(2)	288, 82
		in	280 81
(3)	286, 81	(4)	280, 81

R1_English]

In a vernier calipers, (N + 1) divisions of vernier scale coincide with N divisions of main scale. If 1 MSD represents 0.1 mm, the vernier constant (in cm) is :


(1)
$$\frac{1}{100(N+1)}$$
 (2) $100N$
(3) $10(N+1)$ (4) $\frac{1}{10N}$

28

29 If $x = 5\sin\left(\pi t + \frac{\pi}{3}\right)m$ represents the motion of a

particle executing simple harmonic motion, the amplitude and time period of motion, respectively, are :

(1)
$$5 \text{ m}, 2 \text{ s}$$
 (2) $5 \text{ cm}, 1 \text{ s}$
(3) $5 \text{ m}, 1 \text{ s}$ (4) $5 \text{ cm}, 2 \text{ s}$



In the above diagram, a strong bar magnet is moving towards solenoid-2 from solenoid-1. The direction of induced current in solenoid-1 and that in solenoid-2, respectively, are through the directions:

(1) BA and CD (2) (3) BA and DC (4)

(2) AB and CD(4) AB and DC

B

31 A logic circuit provides the output Y as per the following truth table :

A	B	Y
0	0	1
0	1	0
1	0	1
1	1	0

The expression for the output Y is :

(1) $A.\overline{B} + \overline{A}$

(3) B SINCE 1984 (4) $A.B + \overline{A}$

[Contd

Brillian

36 A wire of length '*I*' and resistance 100Ω is divided into 10 equal parts. The first 5 parts are connected in series while the next 5 parts are connected in parallel. The two combinations are

again connected in series. The resistance of this final combination is: (5) 52 Q 55 Q (1)

(3) 60 Ω


[

1

2


32

- **26 Ω** (4)
- The output (Y) of the given logic gate is similar 33 to the output of an/a : 🗯



A thin spherical shell is charged by some source. 34 The potential difference between the two points C and P (in V) shown in the figure is:

 $(\text{Take}^{-}\frac{1}{4\pi\epsilon_0} = 9 \times 10^9 \text{ SI}^{-}\text{Im})$




th that of the earth and The mass of a planet is 10 35 its diameter is half that of the earth. The acceleration due to gravity on that planet is : (2) 4.9 m s^{-2} (4) 19.6 m s^{-2} () 9.8 m s⁻² 3.92 m s⁻²

R1 English]

Physics : Section-B (Q. No. 36 to 50 The minimum energy required to launch a satellite

of mass m from the surface of earth of mass Mand radius R in a circular orbit at an altitude of 2R from the surface of the earth is:




A small telescope has an objective of focal length 140 cm and an eye piece of focal length 5.0 cm. 37 The magnifying power of telescope for viewing distant object is: 00

a di	stant object ist	ALC .		
(1)	28	O (2)	17	
		0(4)	34	
(3)	32	m	5	

this motion is :

38

The velocity (v) - time(t) plot of the motion of a body is shown below :



The acceleration (a) fitime (t) graph that best suits

15)

H 5 (2)(1)5) -Sm) (4)(3)

 ∞ Two heaters A and B have power rating of 1 kW 39 and 2 kW, respectively. Those two are first connected in series and then in parallel to a fixed power source. The ratio of power outputs for these two cases is:

2:9 (2) 1:2 (3) 2:3(4) 1:1

(1)

[Contd...



A force defined by $F = \alpha t^2 + \beta t$ acts on a particle at a given time t. The factor which is dimensionless, if α and β are constants, is:

- (1) $\alpha t \beta$ (2) $\alpha \beta t$ (3) $\alpha \beta t$ (4) $\beta t \alpha$
- 41 A 10 μ F capacitor is connected to a 210 V, 50 Hz source as shown in figure. The peak current in the circuit is nearly ($\pi = 3.14$):

$$C = 10 \ \mu F$$

V, 50 Hz

- 42 A metallic bar of Young's modulus, 0.5×10^{11} N m⁻² and coefficient of linear thermal expansion 10^{-5} °C⁻¹, length 1 m and area of cross-section 10^{-3} m² is heated from 0°C to 100°C without expansion or bending. The compressive force developed in it is:

(1)
$$50 \times 10^3 \text{ N}$$


(3) $2 \times 10^3 \text{ N}$

(2) 100×10^3 N (4) 5×10^3 N

- 43 A parallel plate capacitor is charged by connecting it to a battery through a resistor. If I is the current in the circuit, then in the gap between the plates :
 - (1) displacement current of magnitude equal to I flows in the same direction as I.
 - (2) displacement current of magnitude equal to I flows in a direction opposite to that of I.
 - (3) displacement current of magnitude greater than I flows but can be in any direction.
 - (4) there is no current.

R1_English]

44 Choose the correct circuit which can achieve the bridge balance.



- 45 A sheet is placed on a horizontal surface in front of a strong magnetic pole. A force is needed to :
 - A. hold the sheet there if it is magnetic.
 - B. hold the sheet there if it is non-magnetic.
 - C. move the sheet away from the pole with uniform velocity if it is conducting.
 - D. move the sheet away from the pole with uniform velocity if it is both, non-conducting and non-polar.

Choose the correct statement(s) from the options given below:

- (1) A and C only
- (2) A, C and D only
- (3) Conly

46

- (4) B and D only
- If the plates of a parallel plate capacitor connected to a battery are moved close to each other, then
- A. the charge stored in it, increases.
- B. the energy stored in it, decreases.
- C. its capacitance increases.
- D. the ratio of charge to its potential remains the same.


E. the product of charge and voltage increases. Choose the most appropriate answer from the options given below:

- (1) A, C and E only
- (2) B, D and E only
- (3) A, B and C only
- (4) A, B and E only

[Contd...



47 The following graph represents the T-V curves of an ideal gas (where T is the temperature and V the volume) at three pressures P_1 , P_2 and P_3 compared with those of Charles's law represented as dotted lines.



Then the correct relation is: $\frac{\partial U}{\partial R}$

(1)
$$P_1 > P_3 > P_2$$
 (2) $P_2 > P_1 > P_3$
(3) $P_1 > P_2 > P_3$ (4) $P_3 > P_2 > P_1$
(7)

48 The property which is not of an electromagnetic wave travelling in free space is that :


(1) the energy density in electric field is equal to energy density in magnetic field.

0

(2) they travel with a speed equal to
$$\sqrt{\mu_0 \epsilon_0}$$

- (3) they originate from charges moving with uniform speed.
- (4) they are transverse in nature.

49 An iron bar of length L has magnetic moment M. It is bent at the middle of its length such that the two arms make an angle 60° with each other. The magnetic moment of this new magnet is:



If the mass of the bob in a simple pendulum is increased to thrice its original mass and its length is made half its original length, then the new time

period of oscillation is $\frac{2}{2}$ times its original time period. Then the value of x is:

(4) √3

(1) $\sqrt{2}$ (2) $2\sqrt[3]{3}$

(3) 4

R1_English]

3

Chemistry : Section-A (O, No. 51 to 85)

51 The reagents with which glucose does not react
to give the corresponding tests/products are
A. Tollen's reagent
B. Schiff's reagent
C. HCN
D. NH₂OH
E. NaHSO₃
Choose the correct options from the given below
(1) A and D
(2) B and E
(3) E and D
(4) B and C
(52) The energy of an electron in the ground stat
(n = 1) for He⁺ ion is
$$-xJ$$
, then that for an electron
in n = 2 state for Be³⁺ ion in J is:
(1) $-\frac{x}{9}$
(2) $-4x$
(3) $-\frac{4}{9}x$
(4) $-x$
(3) $-\frac{4}{9}x$
(4) $-x$
(53) Which reaction is NOT a redox reaction?
(1) 2 KClO₃ + I₂ \rightarrow 2 KlO₃ + Cl₂
(2) H₂ + Cl₂ \rightarrow 2 HCl
(3) BaCl₂ + Na₂SO₄ \rightarrow BaSO₄ + 2 NaCl
(4) Zn + CuSO₄ \rightarrow ZnSO₄ + Cu
(54) Match List I with List II.
List I
(Process)
A. Isothermal I. No heat exchange
process
B. Isochoric III. Carried out at
process constant temperature
C. Isobaric III. Carried out at
process constant temperature
C. Isobaric III. Carried out at
process constant temperature
C. Isobaric III. Carried out at
process constant pressure
Choose the correct answer from the options given
below:
(1) A-IV, B-II, C-III, D-I
(2) A-I, B-II, C-II, D-I
(3) A-IV, B-III, C-II, D-I

Brilliant STUDY CENTRE, PALA

Identify the correct reagents that would bring For the reaction $2A \rightleftharpoons B+C$, $K_c = 4 \times 10^{-3}$. At a about the following transformation. 55 58 given time, the composition of reaction mixture $- CH_2 - CH = CH_2 \rightarrow$ is: $[A] = [B] = [C] = 2 \times 10^{-3} M$. CH2-CH2-CHO Then, which of the following is correct? (1) Reaction has a tendency to go in forward (X) direction. (i) (BH₃ (1)Reaction has a tendency to go in backward (1) (2)(ii) (H_2O_2 / OH) direction. Reaction has gone to completion in forward (iii) PCC (3)(i) (BH₂ direction. 10 (ii) H₂O₂/OH 11 (4) Reaction is at equilibrium. (iii) alk. KMnO4 Match List I with List II. 56 List I (Complex) (iv) (H,0[⊕] List II (Type of H2O/H+ isomerism). (ii) PCC A. $\left[Co(NH_3)_5(NO_2) \right] Cl_2$ (i) H₂O/H⁺ I. Solvate (4) (ii) CrO3 isomerism B. $\left[Co(NH_3)_5(SO_4) \right] Br$ Match List I with List II. 59 II. Linkage List II (Reagents/ List I (Reaction) **Condition**) isomerism C. $\left[Co(NH_3)_6\right] \left[Cr(CN)_6\right]$ **III.** Ionization I. Anhyd.AlCl₃ isomerism D. [Co(H2O)6]CI IV. Coordination II. CrO₃ isomerism Choose the correct answer from the options given III. KMnO₄/ C below: KOH, Δ (1) A-I, B-III, C-IV, D-II (2) A-I, B-IV, C-III, D-II IV. (i) O₃ D. (3) A-II, B-IV, C-III, D-I (ii) Zn-H₂O A-II, B-III, C-IV, D-I (4)Choose the correct answer from the options given below: 63 57 In which of the following processes entropy (1) A-III, B-I, C-II, D-IV increases? (2) A-IV, B-I, C-II, D-III A. A liquid evaporates to vapour. (3) A-I, B-IV, C-II, D-III B. Temperature of a crystalline solid lowered (4) A-IV, B-I, C-III, D-II from 130 K to 0 K. 60 In which of the following equilibria, Kp and Kc C. 2 NaHCO_{3(s)} \rightarrow Na₂CO_{3(s)} + CO_{2(g)} + H₂O_(g) are NOT equal? D. $Cl_{2(g)} \rightarrow 2 Cl_{(g)}$ (1) $H_{2(g)} \rightleftharpoons I_{2(g)} \rightleftharpoons 2 HI_{(g)}$ (2) $CO_{(g)} \dashv H_2O_{(g)} \rightleftharpoons CO_{2(g)} + H_{2(g)}$ Choose the correct answer from the options given below: $2 \operatorname{BrCl}_{(g)} \rightleftharpoons \operatorname{Br}_{2(g)} + \operatorname{Cl}_{2(g)}$ (1) A, B and D (2) A, C and D (3) (4) $PCl_{5(g)} \rightleftharpoons PCl_{3(g)} + Cl_{2(g)}$ (3) C and D 117 (4) A and C 1 R1_English] [Contd...

STUDY CENTRE, PAI



61

62

Which one of the following alcohols reacts 64 instantaneously with Lucas reagent?

- (1) сн₃-сн₂-сн-он
- (2) $CH_3 CH CH_2OH$ CH_3

(3)
$$CH_3 - C - OH$$

 $CH_3 - C - OH$

(4)
$$CH_3 - CH_2 - CH_2 - CH_2OH_2$$

Given below are two statements: Statement I : The boiling point of three isomeric pentanes follows the order

n-pentane > isopentane > neopentane

Statement II : When branching increases, the molecule attains a shape of sphere. This results in smaller surface area for contact, due to which the intermolecular forces between the spherical molecules are weak, thereby lowering the boiling point.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Both Statement I and Statement II are incorrect.
- (2) Statement I is correct but Statement II is incorrect.
- (3)Statement I is incorrect but Statement II is correct.

(4) Both Statement I and Statement II are correct.

63 Given below are two statements:

> Statement I : Aniline does not undergo Friedel-Crafts alkylation reaction.

> Statement II : Aniline cannot be prepared through Gabriel synthesis.

> In the light of the above statements, choose the correct answer from the options given below:

- (1) Both Statement I and Statement II are false.
- (2) Statement I is correct but Statement II is false.
- Statement I is incorrect but Statement II is (3)true.

Both Statement I and Statement II are true. (4)

R1 English]

The E° value for the Mn^{3+}/Mn^{2+} couple is more positive than that of Cr^{3+}/Cr^{2+} or Fe^{3+}/Fe^{2+} due

to change of

(1) d^5 to d^2 configuration

(2) d⁴ to d⁵ configuration

(3) d^3 to d^5 configuration

- (4) d^5 to d^4 configuration
- On heating, some solid substances change from solid to vapour state without passing through 65 liquid state. The technique used for the purification of such solid substances based on the above principle is known as

(1) Sublimation

66

- (2) Distillation
- (3) Chromatography (4) Crystallization
- Fehling's solution 'A' is
 - alkaline copper sulphate alkaline solution of sodium potassium (1)(2)tartrate (Rochelle's salt) aqueous sodium citrate
 - (3)aqueous copper sulphate

(4)

Match List I with List II. 67

I	list I		List II
(M	olecule)	(Nu	mber and types of
1		bon	d/s between two
4		car	bon atoms)
Α.	ethane	I.	one σ -bond and
	1.4	*1 =	two π -bonds
В.	ethene	II.	two π -bonds
C.	carbon	III.	one σ -bond
	molecule, C ₂		
D.	ethyne	IV	one a -hand and

one σ -bond and one π -bond

Choose the correct answer from the options given below:

- (1) A-IV, B-III, C-II, D-I
- (2) A-III, B-IV, C-II, D-I
- (3) A-III, B-IV, C-I, D-II
- (4) A-I, B-IV, C-II, D-III

i. [Contd...



.

CENTRE, PALA

	and the second
68 Intramolecular hydrogen bonding is present in	72 'Spin only' magnetic moment is same for which
NO ₂	of the following ions?
	A. Ti^{3+} B. Cr^{2+} C. Mn^{2+} C D. Fe^{2+}
6	
(2) $NO_2 $	E. Sc^{3+} (5)
(2) S	Choose the most appropriate answer from the
	options given below:
(3) HF (7)	(1) A and E only (2) B and C only
NO ₂	(3) A and D only
$(4) \begin{bmatrix} 1 \\ 1 \end{bmatrix}^{NO_2}$	(4) B and D only
C C C C C C C C C C C C C C C C C C C	
8	73 A compound with a molecular formula of C_6H_{14}
69 The highest number of helium atoms is in	has two tertiary carbons. Its IUPAC name is:
(1) 4 u of helium 0	(1) 2-methylpentane(2) 2,3-dimethylbutane
	(3) 2,2-dimethylbutane
(2) 4 g of helium \bigcirc	(4) n-hexane
(3) 2.271098 L of helium at STP	m
(4) 4 mol of helium	74 The Henry's law constant (K_H) values of three gases (A, B, C) in water are 145, 2×10^{-5} and
	gases (A, B, C) in water are 145, 2×10 ⁻⁵ and
A A A A A A A A A A A A A A A A A A A	35 kbar, respectively. The solubility of these gases in water follow the order:
70 Match List I with List II.	(1) $B > C > A$ (2) $A > C > B$
List I 🐴 List II	(1) $B > C > A$ (2) $A > C > B$ (3) $A > B > C$ (4) $B > A > C$
(Conversion) 💭 (Number of	
5 Faraday required)	75 The compound that will undergo S_N^1 reaction
	with the fastest rate is
A. 1 mol of H_2O to O_2 I. 3F	(1) $() = Br^{(1)}$ (2) $()$
B. 1 mol of MnO_4^{-1} to II. 2F	
	CH ₃
Mn ²⁺	(3) Br (4) Br
C. 1.5 mol of Ca from III. 1F	
molten CaCl ₂	
D. 1 mol of FeO to Fe_2O_3 IV. 5F	76 The most stable carbocation among the following is:
0	and the second se
Choose the correct answer from the options given	
below:	(1) $CH_{H} \sim CH_{CH_{H}} \sim CH_{I}$
(1) A-III, B-IV, C-I, D-II	(1) CH_3 H CH_2 H_3
(2) A-II, B-III, C-I, D-IV	
	(2) $\longrightarrow \stackrel{\oplus}{\operatorname{CH}}_2$
(3) A-III, B-IV, C-II, D-I	CH ₃
(4) A-II, B-IV, C-I, D-III	
0	
Among Group 16 elements, which one does NOT	
show –2 oxidation state?	CH3
(1) Se (1) (2) Te	
(1) Se (1) (2) 10 (3) Po (1) (4) O	(4) H ₃ C (H) CH ₃
_English]11	SINCE 1984 R [Contd
Touguou 1	

Given below are two statements : 77

Statement I: Both $\left[Co(NH_3)_6 \right]^{3+}$ and $\left[CoF_6 \right]^{3-}$ complexes are octahedral but differ in their magnetic behaviour.

Statement II : $\left[Co(NH_3)_6\right]^{3+}$ is diamagnetic whereas $\left[\operatorname{CoF}_{6}\right]^{3-}$ is paramagnetic.

In the light of the above statements, choose the correct answer from the options given below;

- (1) Both Statement I and Statement II are false.
- (2) Statement I is true but Statement II is false.
- Statement I is false but Statement II is true. (3)
- Both Statement I and Statement II are true. (4)

78

Ľ

1 gram of sodium hydroxide was treated with 25 mL of 0.75 M HCl solution, the mass of sodium hydroxide left unreacted is equal to (1)

(1)	250 mg		(2)	Zero mg
(3) 200 mg	**	100		
	0		(4)	750 mg

79 Given below are two statements:

Statement I : The boiling point of hydrides of Group 16 elements follow the order

 $H_2O > H_2Te > H_2Se > H_2S.$

Statement II : On the basis of molecular mass, H₂O is expected to have lower boiling point than the other members of the group but due to the presence of extensive H-bonding in H₂O, it has higher boiling point.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Both Statement I and Statement II are false.
- Statement I is true but Statement II is false. (2)
- Statement I is false but Statement II is true. (3)
- Both Statement I and Statement II are true. (4)

R1_English]

Arrange the following elements in increasing 80 order of first ionization enthalpy:

Brillian

Li, Be, B, C, N

Choose the correct answer from the options give below:

- (1) Li < B < Be < C < N(2) Li < Be < C < B < N $(\mathfrak{L}) \quad Li < Be < N < B < C$ (4) Li < Be < B < C < N
- 81 Activation energy of any chemical reaction ca be calculated if one knows the value of
 - (1) probability of collision.
 - (2) orientation of reactant molecules durin collision.
 - rate constant at two different temperature (3)
 - (4) rate constant at standard temperature.
- Arrange the following elements in increasir 82 order of electronegativity:

N, O, F, C, Si

Choose the correct answer from the options give

- (T) Si < C < O < N < F
- (2) 0 < F < N < C < Si
- (3) F < O < N < C < Si
- Si < C < N < O < F (4)

[Contd.

STUDY CENTRE, PALA

Match List I with List II. 86 8.1 List I List II Quantum Number Information provided shape of orbital 1. A. 111 11. size of orbital 11. 111, III. orientation of C. 1 orbital IV. orientation of spin D. 11 of electron Choose the correct answer from the options given below: 87 (1) A-III, B-IV, C-I, D-II (2) A-III, B-IV, C-II, D-I (3) A-II, B-I, C-IV, D-III (4) A-I, B-III, C-II, D-IV Match List I with List II. List I List II (Shape/geometry) (Compound) **Trigonal Pyramidal** I. A. NH3 II. Square Planar B. BrF5 88 Octahedral III. C. XeF₄ IV. Square Pyramidal D. SF₆ Choose the correct answer from the options given below: (1) A-II, B-IV, C-III, D-I (2) A-III, B-IV, C-I, D-II (3) A-II, B-III, C-IV, D-I (4) A-I, B-IV, C-II, D-III Which plot of ln k vs $\frac{1}{T}$ is consistent with Arrhenius equation? 1 (1)E

R1 English]

84

85

Chemistry :

(Q. No. 86 to 100)

6 The work domining reversible isothermal expansion of one mole of hydrogen gas at 25°C from pressure of 20 atmosphere to 10 atmosphere is:

(Given $R = 2.0 \text{ cal } K^{-1} \text{ mol}^{-1}$)

- (1) 413.14 calories
- (2) 413.14 calories
- (3) 100 calories
- (4) 0 calorie
- 7 Identify the correct answer.
 - (1) BF₃ has non-zero dipole moment.
 - (2) Dipole moment of NF_3 is greater than that of NH_3 .
 - (3) Three canonical forms can be drawn for CO_3^{2-} ion.
 - (4) Three resonance structures can be drawn for ozone.
- Major products A and B formed in the following reaction sequence, are

$$\stackrel{H_{3}C}{\longleftarrow} \stackrel{PBr_{3}}{\longrightarrow} \stackrel{A}{(major)} \stackrel{alc. KOH}{\Delta} \stackrel{B}{(major)}$$

(1)
$$A =$$
 $B =$ $B =$

(2)
$$A =$$
 Br H_3C H_3C

(3)
$$A =$$
 Br H_3C H_3

$$\begin{array}{c} H_{3}C \\ H_{3}C \\ A = \end{array} \qquad ; \quad B = \end{array}$$

[Contd...



The pair of lanthanoid ions which are diamagnetic 89 94 is

- (1) Ce³⁺ and Eu²⁺ (2) Gd³⁺ and Eu³⁴ (3) Pm³⁺ and Sm³⁺
- (4) Ce4+ and Yb2-

90 A compound X contains 32% of A, 20% of B and remaining percentage of C. Then, the empirical formula of X is :

(Given atomic masses of A = 64; B = 40; C = 32 u)

- (1) ABC₃ $(2) AB_2C_2$ (4) A_2BC_2 (3) ABC₄ 00
- 91 Given below are certain cations. Using inorganic qualitative analysis, arrange them in increasing group number from 0 to VI.
 - Cu2+ A. A13+ LO B. Co2+
 - Ba²⁺ C. D.
 - Mg²⁺ E.

Choose the correct answer from the options given below: CO

(1) B, C, A, D, E. (2), E, C, D, B, ACO (3) E, A, B, C, D) (4) B, A, D, C, E (n)

Consider the following reaction in a sealed vessel 92 at equilibrium with concentrations of $N_2 = 3.0 \times 10^{-3} \text{ M}, O_2 = 4.2 \times 10^{-3} \text{ M}$ and $NO = 2.8 \times 10^{-3} M.$


 $2NO_{(g)} \rightleftharpoons N_{2(g)} \bigcap^{GO} 2(g)$ If 0.1 mol L^{-1} of $NQ_{(g)}$ is taken in a closed vessel, what will be degree of dissociation (α) of NO_(g) at equilibrium?

(2) 0.8889 (1) 0.0889 10 0.00889 (4) (3) 0.717

The rate of a reaction quadruples when 93 temperature changes from 27°C to 57°C. Calculate the energy of activation.

Given $R = 8.314 \text{ J} \text{ K}^{-1} \text{ mol}^{-1}$, $\log 4 = 0.6021$

- (1) 380.4 kJ/mol
- (2) 3.80 kJ/mol C
- (3) 3804 kJ/mol
- (4) 38.04 kJ/mol



During the preparation of Mohr's salt solution (Ferrous ammonium sulphate), which of the following acid is added to prevent hydrolysis of Fe2+ ion? concentrated sulphuric acid dilute nitric acid (2)(3) dilute sulphuric acid (4) dilute hydrochloric acid 10 Identify the major product C formed in the following reaction sequence : $CH_3 - CH_2 - GH_2 - 1 - NaCN$ $\frac{OH^{-}(2)}{Partial hydrolysis} B - \frac{NaOH}{Br_{2}}$ (major) (1) butylamine (2) butanamide α-bromobutanoic acid (3)

propylamine (4)

95

 αp Mass in grams of copper deposited by passing 96 9.6487 A current through a voltmeter containing copper sulphate solution for 100 seconds is: (Given : Molar mass of Cu : 63 g mol-1, 1F = 96487 C

(1)
$$0.315 \text{ g}$$
 (2) 31.5 g
(3) 0.0315 g (4) 3.15 g

For the given reaction: 97

$$\begin{array}{c} & & C = CH \xrightarrow{KMnO_4/H^+} & P' \\ H & & & \\ P' \text{ is } & & & \\ \end{array}$$

(2)

- CHO

Contd.


8	Given below are two statements :	Botany : Section-A (Q. No.5101 (10135)ALA 101 Auxin is used by gardeners to prepare weed-fi
		lawns. But no damage is caused to grass as au
•	Statement I : $\left[Co(NH_3)_6 \right]^{3+}$ is a homoleptic	(1) promotes abscission of mature leaves on
		(2) does not affect mature monocotyledono
	complex whereas $\left[Co(NH_3)_4 Cl_2 \right]^+$ is a	(3) can help in cell division in grasses,
	heteroleptic complex,	(3) can help in ceri division in grade , produce growth.
	neteroreptic complex.	(4) promotes apical dominance.
	Statement II: Complex $\left[Co(NH_3)_6 \right]^{3+}$ has only	
		102 Lecithin, a small molecular weight organ
	one kind of ligands but $\left[Co(NH_3)_4 Cl_2 \right]^+$ has	compound found in living tissues, is an exam
1		of:
	more than one kind of ligands.	(1) Phospholipids
	In the light of the above statements, choose the <i>correct</i> answer from the options given below:	(2) Glycerides(3) Carbohydrates
		(3) Carbohydrates(4) Amiņo acids
		(4) Anno cons
	(2) Statement I is true but Statement II is false.	103 Match List I with List II
	(3) Statement I is false but Statement II is true.	List I List II
	(4) Both Statement I and Statement II are true.	A. Two or more 1. Back cross
		alternative
9	The plot of osmotic pressure (Π) vs concentration	forms of a gene
11	(mol L^{-1}) for a solution gives a straight line with slope 25.73 L bar mol ⁻¹ . The temperature at which	B. Cross of F_1 II. Ploidy
	the osmotic pressure measurement is done is:	progeny with
	(Use R = 0.083 L bar mol ⁻¹ K ⁻¹)	homozygous
	(2) 25 7390	C. Cross of F ₁ III. Allele
	(1) 510 0	progeny with
	(3) $12.05^{\circ}C$ (4) $57^{\circ}C$	any of the parents
	t p obtained in the following	D. Number of IV. Test cross
100	The products A and B obtained in the following reactions, respectively, are	chromosome
		sets in plant
	$3ROH + PCl_3 \rightarrow 3RCl + A$	Choose the correct answer from the options g
	$ROH + PCl_5 \rightarrow RCl + HCl + B$	below:
	(1) $POCl_3$ and H_3PO_4	(1) A-II, B-I, C-III, D-IV
	(2) H_3PO_4 and $POCl_3$	A-III, B-IV, C-I, D-II
	(3) H_3PO_3 and $POCl_3$	(3) A-IV, B-III, C-II, D-I (4) A-I, B-II, C-III, D-IV
	(4) $POCl_3$ and H_3PO_3	(4) A-I, B-II, C-III, D-IV
		15 [Con
R1_]	English]	



Which of the following are required for the day 107 Identify the set of correct statements: reaction of photosynthesis? 104 The flowers of Vallisneria are colourful and A Light Α. produce nectar. Chlorophyll B. The flowers of waterlily are not pollinated B. CO2 C. by water. 00 Ch ATP D. Choose the correct answer from the options given In most of water-pollinated species, the C. pollen grains are protected from wetting. O Pollen grains of some hydrophytes are long below: (1) B, C and D only 0 D. (T)and ribbon like, (2) C, D and E only In some hydrophytes, the pollen grains are In (3) D and E only E. carried passively inside water. A, B and C only Choose the correct answer from the options given (4) The type of conservation in which the threatened 15 species are taken out from their natural habitat helow: (1) A, B, C and D only 108 and placed in special setting where they can be protected and given special care is called (2) A, C, D and E only (3) B, C, D and Eronly Biodiversity conservation Semi-conservative method C. D and E only (1)In (4) Sustainable development (2)List of endangered species was released by-(3) in-situ conservation 105 (4) (2) FOAM WWF 00 (1)Given below are two statements: (4) GEAC Oh IUCN (3)Statement I : Bt toxins are insect group specific 109 rTh What is the fate of a piece of DNA carrying only and coded by a gene cry IAc. 0 Statement II : Bt toxin exists as inactive 106 gene of interest which is transferred into an alien protoxin in B. thuringiensis. However, after organism? ingestion by the insect the inactive protoxingets The piece of DNA would be able to multiply converted into active form due to acidic pH of A. itself independently in the progeny cells of the insect gut. the organism()) In the light of the above statements, choose the It may get integrated into the genome of the correct answer from the options given below: B. recipient. Both Statement I and Statement II are false It may multiply and be inherited along with (1) Statement I is true but Statement II is false C. (2)the host DNA. Statement I is false but Statement II is true The alien piece of DNA is not an integral (3)Both Statement I and Statement II are true D. (4)part of chromosome. E. It shows ability to replicate. A transcription unit in DNA is defined primarily 110 Choose the correct answer from the options given by the three regions in DNA and these are with respect to upstream and down stream end; below: (1) Structural gene, Transposons, Operator gene (1) D and E only 3 Inducer, Repressor, Structural gene O (2)B and C only Promotor, Structural gene, Terminator (2)(3)A and E only Repressor, Operator gene, Structural gene (3)A and B only (4)[Contd... 16 10 R1 English]




In the given figure, which component has thin 111 .116 outer walls and highly thickened inner walls?



112 Hind II always cuts DNA molecules at a particular point called recognition sequence and it consists of:

(1)	6 bp 10 bp	*	(2)	4 bp
(3)	10 bp			8 bp
				L'ALL

113 Identify the type of flowers based on the position of calyx, corolla and androecium with respect to the ovary from the given figures (a) and (b)



- (1) (a) Hypogynous; (b) Epigynous
- (2) (a) Perigynous; (b) Epigynous
- (3) (a) Perigynous; (b) Perigynous
- (a) Epigynous; (b) Hypogynous (4)
- Which of the following is an example of 114 001 actinomorphic flower?

181

I have

181

151

- Pisum (2)(1) Cassia Datura Sesbania (3)
- 161 Which one of the following is not a criterion for 115 classification of fungi?

(1) Mode of nutrition

- Mode of spore formation
- Fruiting body 021 (3)
- Morphology of mycelium (4)

R1 English]

The equation of Verhulst-Pearl logistic growth is

$$\frac{dN}{dt} = rN\left[\frac{K-N}{K}\right].$$

From this equation, K indicates:

- (1) Biotic potential
- (2) Carrying capacity
- (3) Population density n
- Intrinsic rate of natural increase (4)
- Which one of the following can be explained on 117 the basis of Mendel's Law of Dominance?
 - Out of one pair of factors one is dominant A. and the other is recessive.
 - Alleles do not show any expression and both В.
 - the characters appear as such in F₂ generation.
 - Factors occur in pairs in normal diploid C. plants.
 - The discrete unit controlling a particular D. character is called factor.
 - The expression of only one of the parental E. characters is found in a monohybrid cross.

Choose the correct answer from the options given helow:

- (1) A, C, D and E only (1) (2) B, C and D only O (3) A, B, C, D and E (4) A, B and C only Match List I with List II 82 List II List I Mushroom A. Rhizopus I. B. Ustilago П. Smut fungus C. Puccinia III. Bread mould D. Agaricus IV. Rust fungus Choose the correct answer from the options given below: (1) A-I, B-III, C-II, D-IV
 - (2) A-III, B-II, C-I, D-IV

1/18

17

- (3) A-IV, B-III, C-II, D-I A-III, B-II, C-IV, D-I (4)

119 Inhibition of Succinic dehydrogenase enzyme by malonate is a classical example of:

(7)

- (1)Feedback inhibition (3)
- (2) Competitive inhibition
- (3) Enzyme activation (0)
- Cofactor inhibition (4)
- R [Contd...

Brilliant®

- (1) Redifferentiation
- (2) Dedifferentiation
- (3) Maturation
- (4) Differentiation
- 121 A pink flowered Snapdragon plant was crossed with a red flowered Snapdragon plant. What type of phenotype/s is/are expected in the progeny?
 - (1) Red flowered as well as pink flowered plants
 - (2) Only pink flowered plants
 - (3) Red, Pink as well as white flowered plants
 - (4) Only red flowered plants
- 122 In a plant, black seed color (BB/Bb) is dominant over white seed color (bb). In order to find out the genotype of the black seed plant, with which of the following genotype will you cross it?

(1)	bb	(2) Bb
	BB/Bb	(4) BB

- 123 Match List I with List II List I List I A. Clostridium X. Ethanol
 - butylicum B. Saccharomyces cerevisiae
 - C. Trichoderma AII. Butyric acid

D. Streptococcus sp. IV. Cyclosporin-A Choose the correct answer from the options given below:

. F.

- (1) A-II, B-IV, C-III, D-I
- (2) ALIII, B-I, C-IN, D-II
- (3) A-IV; B-I, C-III, D-N
- (4) A-III, B-I, C-II, D-IV
- 124 How many molecules of ATP and NADPH are required for every molecule of CO₂ fixed in the Calvin cycle?
 - (1) 2 molecules of ATP and 2 molecules of NADPH
 - (2) 3 molecules of ATP and 3 molecules of NADPH
 - (3) 3 molecules of ATP and 2 molecules of NADPH
 - (4) 2 molecules of ATP and 3 molecules of NADPH

R1_English]

18

- The capacity to generate a whole plant from any
- cell of the plant is called:

125

- (1) Micropropagation
- (2) Differentiation
- (3) Somatic hybridization
- (4) Totipotency
- 126 Tropical regions show greatest level of species richness because
 - A. Tropical latitudes have remained relatively undisturbed for millions of years, hence more time was available for species diversification.
 - B. Tropical environments are more seasonal.
 - C. More solar energy is available in tropics.
 - D. Constant environments promote nich specialization.
 - E. Tropical environments are constant an predictable.

Choose the correct answer from the options given below:

- (1) A and B only
- (2) A, B and E only
- (3) A, B and D only
- (4) A, C, D and E only
- 127 Match List I with List II


	List I		List II
A.	Nucleolu	I.	Site of formation
	and the		of glycolipid
Β.	Centriole	Ell.	Organization like
	ar a b	H	the cartwheel
C.	Leucoplasts	ΪΠ.	Site for active
	1		ribosomal RNA
			synthesis
D.	Golgi	IV.	For storing
	apparatus		nutriente
C	choose the correct	answer	from the options give

- below: (1) A-II, B-III, C-I, D-IV (2) A-III, B-IV, C-II, D-I (3) A-I, B-II, C-III, D-IV
- (4) A-III, B-II, C-IV, D-I

[Contd...



Identify the part of the seed from the given figure which is destined to form root when the seed



- Spindle fibers attach to kinetochores of 129 chromosomes during (1) Metaphase (2) Anaphase (3)Telophase (4) Prophase
- Given below are two statements: 130

Statement I : Chromosomes become gradually visible under light microscope during leptotene stage.

Statement II: The begining of diplotene stage is recognized by dissolution of synaptonemal complex.

In the light of the above statements, choose the correct answer from the options given below:

- Both Statement I and Statement II are false (1)
- Statement I is true but Statement II is false (2)
- Statement I is false but Statement II is true (3)
- Both Statement Land Statement II are true (4)

Given below are two statements: Statement I : Parenchyma is living but 131 collenchyma is dead tissue.

Statement II : Gymnosperms lack xylem vessels but presence of xylem vessels is the characteristic

of angiosperms. In the light of the above statements, choose the correct answer from the options given below:

- (1) Both Statement F and Statement II are false
- Statement I is true but Statement II is false (2)
 - Statement I is false but Statement II is true Both Statement I and Statement II are true

S

(3)(4)

19

(3)

R1_English]

- These are regarded as major causes of biodiversity 132 loss:
 - Over exploitation A.
 - Co-extinction B.
 - Mutation C.
 - Habitat loss and fragmentation D.
 - 101 Migration E.

Choose the correct option:

- (1) A, B, C and D only (2) A, B and E only A, B and D only
- (4) A, C and D only
- The lactose present in the growth medium of 133 bacteria is transported to the cell by the action of:
 - (1) Acetylase
 - Permease (2)
 - (3) Polymerase
 - Beta-galactosidase (4)

Bulliform cells are responsible for 134

- (1) Protecting the plant from salt stress.
- (2) Increased photosynthesis in monocots.
- (3) Providing large spaces for storage of sugars.
- Inward curling of leaves in monocots. (4)
- (31 The cofactor of the enzyme carboxypeptidase is: 135

(4)

Zinc

- OI (2) Flavin (1) Niacin (my
 - 179 Haem

CY

[Contd...

Botany : Section-B (Q. No. 136 to 150)

136 Read the following statements and choose the set of correct statements:

In the members of Phaeophyceae,

- As exual reproduction occurs usually by biflagellate zoospores.
- B. Sexual reproduction is by oogamous method only.
- C. Stored food is in the form of carbohydrates which is either mannitol or laminarin.
- D. The major pigments found are chlorophyll a, c and carotenoids and xanthophyll.
- E. Vegetative cells have a cellulosic wall, usually covered on the outside by gelatinous coating of algin.

Choose the correct answer from the options given below:

- (1) B, C, D and E only
- (2) A, C, D and E only
- (3) A, B, C and E only
- (4) A, B, C and D only

137 Match List I with List II

	List I	4	List II
Α.	Robert May	1.	Species-Area
			relationship
В.	Alexander von	П.	Long term
	Humboldt		ecosystem
-	-	1	experiment using
			out door plots
C.	Paul Ehrlich	ш.	Global species
			diversity at about
			7 million
D.	David Tilman	IV.	Rivet popper
			hypothesis

Choose the correct answer from the options given below:

- (1) A-III, B-I, C-IV, D-II
- (2) A-I, B-III, C-II, D-IV
- (3) A-III, B-IV, C-II, D-I
- (4) A-II, B-III, C-I, D-IV

R1_English]

Brilliant® STUDY CENTRE, PALA

138 Given below are two statements:

Statement I : In C₃ plants, some O₂ binds to RuBisCO, hence CO₂ fixation is decreased. Statement II : In C₄ plants, mesophyll cells show

very little photorespiration while bundle sheath cells do not show photorespiration.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Both Statement I and Statement II are false
- (2) Statement I is true but Statement II is false
- (3) Statement I is false but Statement II is true
- (4) Both Statement I and Statement II are true

139 The DNA present in chloroplast is:

- (1) Circular, double stranded
- (2) Linear, single stranded
- (3) Circular, single stranded
- (4) Linear, double stranded
- 140 In an ecosystem if the Net Primary Productivity (NPP) of first trophic level is

 $100x (kcal m^{-2}) yr^{-1}$, what would be the GPP (Gross Primary Productivity) of the third trophic level of the same ecosystem?

- (1) $x (kcal m^{-2}) yr^{-1}$
- (2) $10x (kcal m^{-2}) yr^{-1}$
- (3) $\frac{100x}{3x}$ (kcal m⁻²) yr⁻¹
- (4) $\frac{x}{10} (kcal m^{-2}) yr^{-1}$
- 141 Which of the following are fused in somatic hybridization involving two varieties of plants?
 - (1) Somatic embryos
 - (2) Protoplasts
 - (3) Pollens
 - (4) Callus

[.Contd...

STUDY CENTRE, PALA

.

142 Match List I with List II	145 Identify the correct description about the given
List I List II	figure:
A. Citric acid', I. Cytoplasm	
B. Glycolysis II. Mitochondrial matrix	it as the
system mitochondria	
D. Proton IV. Inner	
gradient mitochondrial	
membrane	
Choose the correct answer from the options given	5
below:	- Jose
(1) A-II, B-I, C-IV, D-III	
(2) A-III, B-IV, C-I, D-II	(1) Water pollinated flowers showing stamens
(3) A-IV, B-III, C-II, D-I	with mucilaginous covering.
(4) A-I, B-II, C-III, D-IV	(2) Cleistogamous flowers showing autogamy.
143 Match List I with List II	
List I List II	autogamy.
A. Frederick I. Genetic code	Wind pollinated plant inflorescence showing
Griffith	flowers with well exposed stamens.
B. Francois Jacob II. Semi-conservative	
& Jacque mode of DNA	146 Match List I with List II
Monod replication	List I List II
C. Har Gobind III. Transformation	A. GLUT-4 I. Hormone
Khorana	
D. Meselson & IV. Lac operon	
Stahl	C. Trypsin III. Intercellular
Choose the correct answer from the options given below:	ground substance
	D. Collagen IV. Enables glucose
	transport into cells
(2) A-II, B-III, C-IV, D-I (3) A-IV, B-I, C-II, D-III	Choose the correct answer from the options given
(4) A-III, B-II, C-I, D-IV	below:
the state and the second	(1) A-I, B-II, C-III, D-IV
144 Match List I with List II	(2) A-II, B-III, C-IV, D-I
List I List II	(3) A-III, B-IV, C-I, D-II
(Types of Stamens) (Example) A. Monoadelphous /l. Citrus	(4) A-IV, B-I, C-II, D-III
	(4) A-IV, B-I, C-II, D-III
B. Diadelphous C. Polyadelphous UI. Lily	and any manager of the second state of the second state
D. Epiphyllous IV. China-rose	147 Identify the step in tricarboxylic acid cycle, which
Choose the correct answer from the options given	does not involve oxidation of substrate.
below:	(1) Succinic acid \rightarrow Malic acid
(1) A-IV, B-I, C-II, D-III	(2) Succinyl-CoA \rightarrow Succinic acid
(2) A-I, B-II, C-IV, D-III	(3) Isocitrate $\rightarrow \alpha$ -ketoglutaric acid
(A) A-III, B-I, C-IV, D-II	(4) Malic acid \rightarrow Oxaloacetic acid
(4) A-IV, B-II, C-I, D-III	
	21 SINCE 1984 [Contd
R1_English].	

BÉILIGHT UDY CENTRE, PALA

4				<u> </u>	Q land a South	BI	PY CENTRE, PALA
- The second			*	15-02-0	coology : Section-	1.	No. 151 to 1851
follo	owing plant g	growth	crop with which of the h regulators, increases the hereasing the yield?		Match List I with I List I		List II Provides additional
(1) (2)	Gibberellin Cytokinin			A.	Pons	09898	Provides address space for Neurons, regulates posture and balance.
(3) (4)		n n		B.	Hypothalamus	 E	Controls respiration and
		0	List II	C.	Medulla	8 (用) (3 (円) (3 (円) (3) (3) (3) (3) (3) (3) (3) (3) (3) (3	Connects different regions of the
А. В. С.	Pea C		Twisted aestivation Perigynous flower Drupe	D.	Cerebellum	ORY.	brain. Neuro secretory cells
belo (1) (2) (3)	Mango bose the correct	∩ IV. ct ansv ⊉III, D Q QC-II, 1 2-IV, 1	D-I D-I	۵ () () ()	elow : 1) A-III, B-IV, C- 2) A-I, B-III, C-II 3) A-II, B-I, C-III 4) A-II, B-III, C-I	(D .11, D-1 1, D-1 1, D-1 1, D-1 1, D-1 1, D-1 1	from the options giv
150 Whid regan (1) (2) (3) (3) (4) (4) (1) (2)	ch of the for rding the prod The DNA catalyses poly that is $5^{2} \rightarrow 3^{2}$ The DNA catalyses poly as $3^{2} \rightarrow 5^{2}$ dire The DNA catalyses poly the DNA catalyses poly the DNA catalyses poly	epend official offici	ing statement is correct of replication in <i>E.coli</i> ? Ident RNA polymerase rization in one direction, dent DNA polymerase rization in 5' \rightarrow 3' as well	F ((((() () () () () () () ()	 Yallopian tube? 1) Isthmus 2) Infundibulum 3) Ampulla 4) Uterine fundu 4) Uterine fundu Ti plasmid" of tands for 1) Tumor indepe 2) Tumor induci 	of Agro ondent ng plas	smid ndent plasmid
	hat is 3'→5' 11]			2	SINCE 1984	IT	[Cont



- 154 Match List I with List II : List I 157 List II A. Expiratory 1. Expiratory reserve capacity Recent) volume + Tidal volume + A. Inspiratory reserve B. volume Β. Functional II. C. Tidal volume + residual Expiratory reserve capacity D. volume C. Vital capacity III. Tidal volume + Inspiratory reserve volume D. Inspiratory IV. Expiratory reserve capacity volume + Residual volume Choose the correct answer from the options given below : 158 A-III, B-II, C-IV, D-I (1)(2) A-II, B-I, C-IV, D-III A. (3) A-I, B-III, C-II, D-IV B. (4)A-II, B-IV, C-I, D-III C. 155 . Given below are two statements : one is labelled D. as Assertion A and the other is labelled as Reason R : E. Assertion A : FSH acts upon ovarian follicles in female and Leydig cells in male. Reason R : Growing ovarian follicles secrete estrogen in female while interstitial cells secrete androgen in male human being. In the light of the above statements, choose the correct answer from the options given below : (1) Both A and R are true but R is NOT the correct explanation of A. A is true but R is false 159 A is false but R is true Both A and R are true and R is the correct explanation of A. Match List I with List II : 156 List II List I Peptide bond I. A. Lipase Ester bond II.
 - B. Nuclease Glycosidic bond III.
 - C. Protease Phosphodiester bond IV.
 - D. Amylase Choose the correct answer from the options given below :

11

- (1) A-III, B-II, C-I, D-IV
- (2) A-II, B-IV, C-I, D-III
- A-IV, B-I, C-III, D-II (3)
- (4) A-IV, B-II, C-III, D-I

R1 English]

Given below are some stages of human evolution. Arrange them in correct sequence. (Past to

- Homo habilis
- Homo sapiens
- Homo neanderthalensis
- Homo erectus

Choose the correct sequence of human evolution from the options given below :

(1)	B-A-D-C	(2)	C-B-D-A
(3)	A-D-C-B	(4)	D-A-C-B

Which of the following are Autoimmune disorders?

- Myasthenia gravis
- Rheumatoid arthritis
- Gout
- Muscular dystrophy
- Systemic Lupus Erythematosus (SLE)

Choose the most appropriate answer from the options given below :

- (1) A, B & E only
- (2) B, C & E only
- (3) C, D & E only
- (4) A, B & D only

Match List I with List II :

	List I		List II
A.	Common cold	Ι.	Plasmodium
B.	Haemozoin	П.	Typhoid
C.	Widal test	III.	Rhinoviruses
D.	Allergy	IV.	Dust mites


Choose the correct answer from the options given below :

(1) A-I, B-III, C-II, D-IV


- (2) A-III, B-I, C-II, D-IV
- (3) A-IV, B-II, C-III, D-I
- (4) A-II, B-IV, C-III, D-I

[Contd...

A Brillian



162 Identify the correct matching pair along with their location in human body :



Name of muscle/location

- (1) (a) Skeletal Triceps
 - (b) Smooth Stomach
 - (c) Cardiac Heart.
- (2) (a) Skeletal Biceps
 - (b) Involuntary Intestine

相望

- (c) Smooth Heart.
- (3) (a) Involuntary Nose tip
 - (b) Skeletal Bone
 - (c) Cardiac Heart.
- (a) Smooth Toes (4)
 - (b) Skeletal Legs
 - (c) Cardiac Heart.

R1_English]

. the	S	with	Tet Shur	DY CENTRE, PALA
163 1	Match List I	with D	De la c	List II
	List I	nos of		(Specific
	(Sub Phas			characters)
	Prophase	1)00	I.	Synaptonemal
Α.	Diakinesis		1.	complex formation
	1.1.1.1	00	п.	
В.	Pachytene		11	terminalisation of
		C)		chiasmata
		(199		
C.	Zygotene	(17)	III.	
1.1	2.0			look like thin
		òo	10.6	threads
D.	Leptotene	. S	IV.	Appearance of
		83		recombination
		1034		nodules
С	hoose the co		swer f	from the options given
	elow :	(7)	100	
	1) A-I, B-II,		D-III	
	2) A-II, B-IV			
5	A-II, B-I	V, C-II	D-I	
Y.				
(4	4) A-IV, B-I	LC-m	, D-1	· · · ·
		51.	20	
	latch List I w	ith List	:11:	2.3 miles
		(C)		List II
	Down's synd		I.	11 th chromosome
В. (α-Thalassem	ia)	II.	
	β-Thalassem		III.	21st chromosome
	Klinefelter's			16 th chromosome
4	syndrome		1.	16" chromosome
		ant and	C .	
be	low :	ect ans	wer fre	om the options given
001	1011 .	and a second sec		
(2)	A-II, B-III	, C-IV,	D-I	
A D	A-III, B-I	/, C-I, I	D-II	
(3)	A-IV, B-I,	C-II, D)-III	
(4)	A-I, B-II,	C-III, D	D-IV	
	5	474		
65 Wh	hich of the fo	llowing	o state	ements is incorrect?
(1)	Most com	monly	need	bio-reactors are of
	stirring typ	be.	used	bio-reactors are of
(2)	Bio-reacto	Tolare II		
	bacterial ci	Saleu	sed to	produce small scale
(3)	Dismoof	mures.		and the second second
(3)	Bio-reacto	ors ha	ve an	agitator system,
	an oxygen o	deliver	y syste	a gitator system, and foam control
	system.			and roant control
(4)	A bio-read	ctor pr	ovide	es optimal growth
	conditions	for achi	eving	the desired product.
	1		eving	the desired product.
			- A. T.	and the second se

[Contd...



Match List I with List II : 166 List I List II A. Pterophyllum 100 Hag fish IP Myxine Saw fish B. C. Pristis III Angel fish D. Exocoetus IV. Flying fish Choose the correct answer from the options given below : 61 (1) A-III, B-I, C-II, D-IV (2) A-IV, B-I, C-II, D-III (3) A-III, B-II, C-I, D-IV (4) A-II, B-I, C-III, D-IV The following diagram showing restriction sites 167 in E. coli cloning vector pBR322. Find the role of 'X' and 'Y' genes : (1) 0 Cla I Hind III EcoR I-(1) Pvu I BamH I Pst I pBR322 Sal I Pvu II 00 0 The gene 'X' is responsible for controlling the copy number of the linked DNA and 'Y' (1)for protein involved in the replication of Plasmid. (2) The gene 'X' is for protein involved in replication of Plasmid and 'Y' for resistance to antibiotics. 00 Gene 'X' is responsible for recognition sites and 'Y' is responsible for antibiotic (3)

(4) The gene 'X' is responsible for resistance to antibiotics and 'P' for protein involved in the replication of Plasmid.

Given below are two statements : Statement I : The presence or absence of hymen is not a reliable indicator of virginity. Statement II : The hymen is torn during the first In the light of the above statements, choose the correct answer from the options given below : (1) Both Statement I and Statement II are false Statement I is true but Statement II is false Statement I is false but Statement II is true (2)(4) Both Statement I and Statement II are true Consider the following statements : Annelids are true coelomates A. Poriferans are pseudocoelomates Β. Aschelminthes are acoelomates C. Platyhelminthes are pseudocoelomates Choose the correct answer from the options given helow : (2) Conly (1) A only (4) B'only (3) Donly CA Given below are two statements : Statement I : In the nephron, the descending limb of loop of Henle is impermeable to water and permeable to electrolytes. Statement II : The proximal convoluted tubule is lined by simple columnar brush border epithelium and increases the surface area for reapsorption. In the light of the above statements, choose the correct answer from the options given below : Both Statement I and Statement II are false (1)Statement I is true but Statement II is false (2)Statement I is false but Statement II is true (3)Both Statement I and Statement II are true (4) Following are the stages of cell division : Gap 2 phase A. Cytokinesis Β. C. Synthesis phase Karyokinesis, D. E. Gap 1 phase

Choose the correct sequence of stages from the options given below :

(1) E-B-D-A-C^{*} (2) B-D-E-A-C (3) E-C-A-D-B (4) C-E-D-A-B

[Contd...

R1_English]

25

168

169

170



		STUDY CENTRE, PALA
172	filamentous structures called anal cerci are present on: (1) 10 th segment (2) 8 th and 9 th segment (3) 11 th segment (4) 5 th segment	176 Match List I with List II : List II List I List II A. Non-medicated IUD I. B. Copper releasing IUD II. Progestogens C. Hormone releasing IUD III. Lippes loop D. Implants IV. LNG-20 Choose the correct answer from the options give
173	List I List II A. Fibrous joints I. Adjacent vertebrae, limited movement	below : (1) A-I, B-III, C-IV, D-II (2) A-IV, B-I, C-II, D-III
	B. Cartilaginous II. Humerus and joints Pectoral girdle, rotational movement	(3) A-III, B-I, C-IV, D-II (4) A-III, B-I, C-II, D-IV
	C. Hinge III. Skull, don't joints allow any movement	177 Which of the following is not a natural/traditiona contraceptive method?
	 D. Ball and IV. Knee, help in socket joints locomotion Choose the correct answer from the options given below : (1) A-I, B-III, C-II, D-IV (2) A-II, B-III, C-I, D-IV (3) A-III, B-I, C-IV, D-II (4) A-IV, B-II, C-III, D-I 	 (1) Periodic abstinence (2) Lactational amenorrhea (3) Vaults (4) Coitus interruptus 178 Which one is the correct product of DNA
174	Which of the following is not a steroid hormone? (1) Testosterone	dependent RNA polymerase to the given template?

- (2)Progesterone
- (3)Glucagon
- Cortisol (4)
- Following are the stages of pathway for 175 conduction of an action potential through the heart:
 - A. AV bundle
 - B. Purkinje fibres
 - C. AV node
 - D. Bundle branches
 - E. SA node

Choose the correct sequence of pathway from the options given below :

- (1) A-E-C-B-D B-D-E-C-A (2)(3) E-A-D-B-C E-C-A-D-B
- R1_English]

3'TACATGGCAAATATCCATTCA5'

- (1) 5'AUGUAAAGUUUAUAGGUAAGU3'
- (2) 5'AUGUACCGUUUAUAGGGAAGU3'
- (3) 5'ATGTACCGTTTATAGGTAAGT3'
- (4) 5'AUGUACCGUUUAUAGGUAAGU3'
- Which one of the following factors will not affect 179 the Hardy-Weinberg equilibrium?
 - (1) Genetic drift
 - Gene migration (2)
 - Constant gene pool (3)
 - Genetic recombination (4)

[Contd ...

Given below are two statements : one is labelled Match List I with List II : 183 as Assertion A and the other is labelled as List I List II COL Effective sedative in A. Cocaine Reason R : 3 Assertion A : Breast-feeding during initial period surgery 00 of infant growth is recommended by doctors for Cannabis sativa B. Heroin II. 5 []III. Erythroxylum C. Morphine bringing a healthy baby. IV. Papaver somniferum Reason R : Colostrum contains several antibodies D. Marijuana Choose the correct answer from the options given absolutely essential to develop resistance for the below : new born baby. က (1) A-I, B-III, C-II, D-IV In the light of the above statements, choose the (2) A-II, B-I, C-III, D-IV most appropriate answer from the options given (3) A-III, B-IV, C-I, D-II A-IV, B-III, C-I, D-II (4)below : Both A and R are correct but R is NOT the (h) Match List I with List II : correct explanation of A. List II List I 10 A is correct but R is not correct. A. Z Fungus. A. Typhoid (3) A is not correct but R is correct. Nematode II. B. Leishmaniasis Both A and R are correct and R is the correct Protozoa III. 00 C. Ringworm/ Bacteria 3 IV. (4)D. Filariasis explanation of A.C Choose the correct answer from the options given 10 below : The flippers of the Penguins and Dolphins are (1) A-IV, B-III, G-I, D-II (2) A-III, B-I, C-IV, D-II 184 the example of the (2) (3) A-II, B-IV, C-III, D-I (1) Natural selection (4) A-I, B-III, G-II, D-IV Convergent evolution (5) (2)Match List I with List II : (3) Divergent evolution List II List I Cotton bollworm (4) Adaptive radiation I. A. α-1 antitrypsin ADA deficiency II. 10 Cry IAb Emphysema B. III. Which of the following factors are favourable for Cry IAc Corn borer C. IV. 185 the formation of oxyhaemoglobin in alveoli? Enzyme D. replacement (1) High pO2 and Lesser H⁺ concentration Choose the correct answer from the options given (1)

- (2) Low pCO_2 and High H⁺ concentration
- (3) Low pCO₂ and High temperature
- (4) High pO_2 and High pCO_2

[Contd

R1_English]

(4)

below :

A-III, B-I, C-II, D-IV

A-II, B-I, C-IV, D-III

(2) A-III, B-IV, C-I, D-II

(3) A-II, B-IV, IC-I, D-III

180

181



D (2) No. 186 to 200)	STUDY CENTRE, PALA
Zoology : Section-B (Q. No. 186 to 200) 186 Match List I with List II :	189 Match List I with List II :
List I List II	List I List II
A. Unicellular glandular I. Salivary glands	s List I List II
epithelium	A. P wave I. Heart muscles are
B. Compound epithelium II. Pancreas	
C. Multicellular III. Goblet cells of	
glandular epithelium alimentary can	B: LIK complex II Liencigrication of
D. Endocrine glandular IV. Moist surface of epithelium buccal cavity	or
epithelium buccal cavity Choose the correct answer from the options give	ventricles.
below :	C. T wave III. Depolarisation of
(1) A-IV, B-III, C-I, D-II	
(2) A-III, B-IV, C-I, D-II	atria.
(3) A-II, B-I, C-IV, D-III	D. T-P gap IV. Repolarisation of
(4) A-II, B-I, C-III, D-IV	
	ventricles.
187 Choose the correct statement given belo	ow Choose the correct answer from the options given
regarding juxta medullary nephron.	
(1) Renal corpuscle of juxta medullary nephr lies in the outer portion of the	in A-III, B-II, C-IV, D-I
(2) Loop of Henle of juxta medullary nephr	Ila. (N A-III, B-II, C-IV, D-I
runs deep into medulla.	(2) A-II, B-III, C-I, D-IV
(3) Juxta medullary nephrons outnumber t	the (3) A-IV, B-II, C-I, D-III
cortical nephrons.	
(4) Juxta medullary nephrons are located in t columns of Bertini.	(4) A-I, B-III, C-IV, D-II
188 Identify the correct option (A), (B), (C), (D) w	ith 190 Given below are two statements :
respect to spermatogenesis.	
	Statement I: Bone marrow is the main lymphoid
GnRH	organ where all blood cells including lymphocytes
[]	are produced.
LH (A)	Statement II : Both bone marrow and thymus
\downarrow \downarrow	provide micro environment of and thymus
(B) (C)	provide micro environments for the development and maturation of T-lymphocytes.
Androgens Factore	-indititation of 1-lymphocytes.
I detois	In the light of the above statements, choose the most
Formation of spermatids (D)	appropriate answer from the options given below
. (0)	(1) Both Statement L
(1) ICSH, Interstitial cells, Leydig cells,	(1) Both Statement I and Statement II are incorrect.
spermiogenesis.	
(2) FSH, Sertoli cells, Leydig cells, spermatogenesis.	(2) Statement I is correct but Statement II is incorrect
(3) ICSH, Leydig cells, Sertoli cells,	
spermatogenesis.	(3) Statement I is incorrect but Statement II is correct.
(4) FSH, Leydig cells, Sertoli cells,	correct.
,, dig cens, senton cens	
spermiogenesis	(4) Both Statement Land St
spermiogenesis	(4) Both Statement I and Statement II are correct
spermiogenesis R1_English]	(4) Both Statement I and Statement II are correct.
spermiogenesis	28 SINCE 1984 R [Contd



191 Given below are two statements :

Statement I : Gause's competitive exclusion principle states that two closely related species competing for different resources cannot exist indefinitely.

Statement II : According to Gause's principle, during competition, the inferior will be eliminated. This may be true if resources are limiting.

In the light of the above statements, choose the correct answer from the options given below :

- (1) Both Statement I and Statement II are false.
- (2) Statement I is true but Statement II is false.
- (3) Statement I is false but Statement II is true.
- (4) Both Statement I and Statement II are true.

192 Match List I with List II :

	List I		List II
A.	Exophthalmic	Ι.	Excess secretion of
	goiter		cortisol, moon face &
			hyperglycemia
B	Acromegaly	11.	Hypo-secretion
D .	/icioimeg,	,	of thyroid hormone
	,	÷	and stunted growth.
C	Cushing's	III.	Hyper secretion
С.	syndrome		of thyroid hormone &
	syndrome		protruding eye balls.
D.	Cretinism	IV.	Excessive secretion
			of growth hormone.
			a the entions given

Choose the correct answer from the options given below :

- (1) A-IV, B-II, C-I, D-III
- (2) A-III, B-IV, C-II, D-I
- (3) A-III, B-IV, C-I, D-II
- (4) A-I, B-III, C-II, D-IV

R1_English]

193 Match List I with List II related to digestive system of cockroach.

	List I		List II
Λ.	The structures used	1.	Gizzard
	for storing of food.		
B.	Ring of 6-8 blind	п.	Gastric

- B. Ring of 6-8 bind tubules at junction of foregut and midgut.
- C. Ring of 100-150 yellow coloured thin filaments at junction of midgut and hindgut.

III. Malpighian tubules

Caeca

IV. Crop

 D. The structures used for grinding the food.

Choose the correct answer from the options given below :

- (1) A-I, B-II, C-III, D-IV
- (2) A-IV, B-III, C-II, D-I
- (3) A-III, B-II, C-IV, D-I
- (4) A-IV, B-II, C-III, D-I

194 As per ABO blood grouping system, the bloo group of father is B⁺, mother is A⁺ and child O⁺. Their respective genotype can be

- A. I^Bi / I^Ai / ii
- B. I^BI^B / I^AI^A / ii
- C. IAIB / iIA / IBi
- D. $I^{A_i}/I^{B_i}/I^{A_i}$
- E. $iI^B / iI^A / I^A I^B$

Choose the most appropriate answer from options given below :

- (1) Bonly
- (2) C & B only
- (3) D & E only

(4) A only

[Cont

195 Match List I with List II : List II List I A. snRNPs OL A. RNA polymerase III **B**. n B. Termination of OII. Promotor transcription TII. Rho factor C. Splicing of Exons D. IV. SnRNAs, tRNA D. TATA box E. Choose the correct answer from the options given below : below : (1) A-III, B-II, C-IV, D-I (2) A-III, B-IV, C-I, D-II (3) A-IV, B-III, C-I, D-I (4) A-II, B-IV, C-I, D-III 196 Match List I with List II : 199 List I List II Lower invertebrates A. Mesozoic Era I. B. Proterozoic Era Π. Fish & Amphibia C. Cenozoic Era **III.** Birds & Reptiles D. Paleozoic Era IV. Mammals Choose the correct answer from the options given below : (1) A-III, B-I, C-II, D-IV (2) A-I, B-II, C-IV, D-III (3) A-III, B-I, C-IV, D-II (2)A-II, B-I, C-III, D-IV (4)(3) 197 Given below are two statements : Statement I : The cerebral hemispheres are connected by nerve tract known as corpus 200 callosum. Statement II : The brain stem consists of the A. medulla oblongata, pons and cerebrum. B. In the light of the above statements, choose the most appropriate answer from the options given C. below : D. (1) Both Statement I and Statement II are E. incorrect. (1)(2)Statement I is correct but Statement II is incorrect. (3) Statement I is incorrect but Statement II is correct. Both Statement I and Statement II are correct. (4)30

Free enzyme ready to bind with another substrate. C. Release of products. Chemical bonds of the substrate broken. Substrate binding to active site. (1) A, E, B, D, C (2) B, A, C, D, E (3) E, D, C, B, A(C) (4) E, A, D, C, B(7) Statement I: Mitochondria and chloroplasts are both double membrane bound organelles. Statement II : Inner membrane of mitochondria is relatively less permeable, as compared to chloroplast. In the light of the above statements, choose the most appropriate answer from the options given below : (1) Both Statement I and Statement II are incorrect. 101 Statement I is correct but Statement II is incorrect. Statement I is incorrect but Statement II is (S) correct. (4) Both Statement I and Statement II are correct. The following are the statements about nonchordates : Pharynx is perforated by gill slits. Notochord is absent. Central nervous system is dorsal. Heart is dorsal if present. Post anal tail is absent Choose the most appropriate answer from the options given below : (1) A, B & D only (2) B, D & E only

(4) A & C only

Contd....

Regarding catalytic cycle Chan enzyme action,

198

- select the correct sequential steps :
 - Substrate enzyme complex formation.

Choose the correct answer from the options given

Given below are two statements :

- (3) B, C & D only

R1_English